Product Specifications

AF26558



Air Filter, Secondary

Fleetguard® AF26558 axial seal primary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.

View product on Fleetguard.com

INSUMIND PERÚ
INSUMOS MINEROS INDUSTRIALES

Specifications

Overall Length	15.00 inch / 381.00 mm	Inside Diameter	4.21 inch / 107.00 mm
Largest Outside Diameter	5.71 inch / 145.00 mm		

Applicable Region	North America, South East Asia

Product Comments

It is component of Air Kit AA90139. It is not available for separate purchase

Related Parts

Safety Element Used With	AF26557

Filter Used With	AH40148	AH24180	AH24181
	AH24182		
Uses Element	AA90139		

"Fleetguard is a brand of Atmus Filtration Technologies (“Atmus”). This publication and all information contained or referenced in it (hereinafter "Publication") are provided asa convenience to Atmus Filtration customers "as is" without any warranties, express or implied, including warranties of merchantability, fitness for a particular purpose, or non-infringement of intellectual property.Atmus Filtration does not warrant the accuracy nor completeness of the Publication; may make changes to the Publication at any time without notice; and makes no commitment to update the Publication.

The Publication may refer to products, programs, or services that are not available in your country or local area. Consult Atmus Filtration directly for information regarding the products, programs, and services that may be available to you. Applicable law may not allow the exclusion of implied warranties, so the above exclusion may not apply to you. © 2026 Atmus Filtration Technologies Inc. All Rights Reserved

INSUMIND PERÚ
INSUMOS MINEROS INDUSTRIALES

Product Specifications

AF26557



Air Filter, Primary

Fleetguard® AF26557 axial seal primary air filter ensures a proper seal and prevent leaks to prevent airborne contaminants from reaching the combustion chamber.

View product on Fleetguard.com

INSUMIND PERÚ
INSUMOS MINEROS INDUSTRIALES

Specifications

Largest Outside Diameter	10.03 inch / 254.70 mm	Overall Length	15.67 inch / 398.00 mm
Applicable Region	North America, China, Europe, South America, South East Asia, South Pacific		

Related Parts

Uses Element	AA90139		
Filter Used With	AH24182 AH24180	AH24181	AH40148
Primary Air Filter Used With	AF26558		

"Fleetguard is a brand of Atmus Filtration Technologies (“Atmus”). This publication and all information contained or referenced in it (hereinafter "Publication") are provided asa convenience to Atmus Filtration customers "as is" without any warranties, express or implied, including warranties of merchantability, fitness for a particular purpose, or non-infringement of

intellectual property.Atmus Filtration does not warrant the accuracy nor completeness of the Publication; may make changes to the Publication at any time without notice; and makes no commitment to update the Publication.

The Publication may refer to products, programs, or services that are not available in your country or local area. Consult Atmus Filtration directly for information regarding the products, programs, and services that may be available to you. Applicable law may not allow the exclusion of implied warranties, so the above exclusion may not apply to you. © 2026 Atmus Filtration Technologies Inc. All Rights Reserved

INSUMIND PERÚ
INSUMOS MINEROS INDUSTRIALES